

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ELEMENT MATERIALS TECHNOLOGY ANAHEIM 1435 S. Allec Street Anaheim, CA 92805 Mr. Russell Shepherd Phone: 714-999-1616 <u>Russell.shepherd@element.com</u> Mr. Michael Young Phone: 714-999-1616 Michael.young@element.com

ELECTRICAL

Valid To: September 30, 2026

Certificate Number: 214.52

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following <u>electrical tests</u>:

Test Description/Capabilities:	<u>Test Method(s)</u> ¹ :
Arc Resistance	ASTM D495; IPC-4101; IPC-TM-650 (Method 2.5.1); UL 746A
Comparative Tracking Index (CTI)	ASTM D3638; UL 746A
Conductive Anodic Filament Resistance (CAF) Range: (10 ⁵ to 10 ¹³) Ohm *	IPC-4101; IPC-6012; IPC-A-600; IPC-9201; IPC-TM-650 (Method 2.6.25)
Dielectric Breakdown and Electrical Strength DC Range: (0 to 6) kV * AC Range: (0 to 70) kV *	ASTM D149; IPC-4101; IPC-TM-650 (Methods 2.5.6.2 and 2.5.6); UL 746A; IPC-6012; IPC-A-600; IPC-6013; IPC-9201; IPC-TM-650 (Methods 2.5.7 and 2.5.7.1); MIL-STD-202 (Method 301); MIL-PS0884 ² ; MIL-PRF-50884 ² ; MIL-PRF-55110 ² ; MIL-PRF-31032 ² ; MIL-I-46058; IPC-CC-830;

Page 1 of 2

IPC-SM-840; UL 746A; J-STD-004

(A2LA Cert. No. 214.52) 10/22/2024

5202 Presidents Court, Suite 220 | Frederick, MD 21703-8515 | Phone: 301 644 3248 | Fax: 240 454 9449 | www.A2LA.org

Test Description/Capabilities:

DC Resistance, Volume and Surface Resistivity Range: (10 ⁵ to 10 ¹³) Ohm *	ASTM D257; IPC-4101; IPC-4202; IPC-TM-650 (Methods 2.5.17 and 2.5.17.1); UL 746A
Hydrolytic Stability	IPC-TM-650 (Methods 2.6.11 and 2.6.11.1); IPC-CC-830; IPC-SM-840; FED-STD-141; MIL-I-46058
Moisture and Insulation Resistance (MIR) Range: (10 ⁵ to 10 ¹³) Ohm *	IPC-6012; IPC-6013; IPC-TM-650 (Method 2.6.3); MIL-I-46058; MIL-STD-202 (Method 302); MIL-P-50884 ² ; MIL-PRF-50884 ² ; MIL-PRF-31032 ² ; MIL-PRF-55110 ²
Surface Insulation Resistance	IPC-TM-650 (Methods 2.6.3.5 and 2.6.3.7); IPC-A-600; IPC-9201; J-STD-004; IEC 61189-5; GR-78-CORE (Section 14.4)

Test Method(s) ¹:

On the following materials/products:

Circuit Boards and Circuit Board Components; Electronics; Adhesives; Aircraft Components; Automotive Components; Plastic and Rubber Insulating Materials.

Laboratory performs tests according to IPC-QL-653 "Certification of Facilities that Inspect/Test Printed Boards, Components and Materials."

¹When the date, edition, version, etc. is not identified in the scope of accreditation, laboratories may use the version that immediately precedes the current version for a period of one year from the date of publication of the standard measurement method, per part C., Section 1 of A2LA R101 - *General Requirements- Accreditation of ISO-IEC 17025 Laboratories*.

*Including Customer Specifications directly related to the test technologies and within the parameters listed above

² These methods are Performance Specifications which make reference to test methods identified on the scope of accreditation. The laboratory is not accredited to these Performance Specifications.

In .

(A2LA Cert. No. 214.52) 10/22/2024





Accredited Laboratory

A2LA has accredited

ELEMENT MATERIALS TECHNOLOGY ANAHEIM

Anaheim, California

for technical competence in the field of

Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 22nd day of October 2024.

Mr. Trace McInturff, Vice President, Accreditation Services For the Accreditation Council Certificate Number 214.52 Valid to September 30, 2026